

SECT Frame spec sheet.

27.2 Seat tube size

30.0 Seat Clamp

FSA Headset No.42/ACB
Integrated, 41.8ø upper,
51.8ø lower
UPG-HS-ITG-TP-1"1/2

135 x 10mm Rear
Hub Spacing.
(not 9mm)

68mm BSA BB



BOLT Frame spec sheet.

FSA Headset No.42/ACB
Integrated, 41.8ø upper, 51.8ø lower
UPG-HS-ITG-TP-1"1/2

27.2 Seat tube size

30.0 Seat Clamp

Rear Hub Spacing via Swopout
V2,
135x9mm, 142x12mm,
135x12mm, 142x12 +8 for 27.5

698 2rs Top Link.

Z-REDH-BOLT-698-2RS

Shock spec: 200 x 57

Mount Spec: 8mm x 20mm Head

8mm x 25mm Tail

Type 2 bushing 12.7mm

626 2rs Scissor Link

Z-REDH-BOLT-626-2RS

73mm BSA BB. ISCG 05

61808 2rs bearings used here.

Z-REDH-BOLT-BB-PB



Trailstar Frame Spec.

31.6 Seat Tube size
34.9 Seat Clamp size

160mm
Post Mount STD

FSA Headset No.42/ACB
Integrated, 41.8 ϕ upper,
51.8 ϕ lower
UPG-HS-ITG-TP-1"1/2

Rear Hub Spacing via
Swopout V2,
135x9mm, 142x12mm,
135x12mm, 142x12 +8
for 27.5

73mm BSA BB. ISCG 05

